

Product Catalogue for APAC 2020

Special Edition



Connect directly with global suppliers
expo.tuya.com

Product Catalogue for APAC 2020

Special Edition



Contents

Lighting.....	3
Electrical.....	41
IPC.....	52
Small Home Appliances	66
Big Home Appliances	77
Smart Locks	79
Sensors.....	93
Hub & Panel.....	105

Lighting





[Back to Table of Contents →](#)

Smart Led Bulb


[Register and inquire to learn more →](#)



Long lasting and low energy use



Set scenes for every occasion



Choose from millions of colors



Certificate: CE,CCC,CQC,UL,CE,RoHS,REACH,ETL,FCC

Voltage: 220-240V,50Hz

Dimmable: Yes

Sales Area: North American, Europe

Battery: -

Motion Detection Range: -

Bulb Type: A60

Watts: 9W

Material: -

Bulb Socket: E27

Lumen: 810

IP Grade: -

Emitting Color: RGB

Color Temperature: 2700K-6500K

Indoor or Outdoor Use: Indoor Only

Size: 60mm*118mm


[Back to Table of Contents →](#)

Smart LED Light Strip


[Register and inquire to learn more →](#)




Voice & APP control, works with Alexa & Google Assistant




Music and unique screen light sync brings more immersive experience



Easy installation & sticky tape & PU surface



Cuttable & extendable design



Adjustable brightness & 6 DIY color & 8 atmospher models



Certificate: CE, RoHS, FCC

Voltage: 5V 1A, 24V 1A

Dimmable: Yes

Sales Area: Global

Battery: -

Motion Detection Range: -

Bulb Type: -

Watts: Max 24W

Material: PU, Plastic

Bulb Socket: -

Lumen: -

IP Grade: IP65

Emitting Color: RGB

Color Temperature: -

Indoor or Outdoor Use: Indoor Only

Size: -




[Back to Table of Contents →](#)


Smart Wake-up Light

[Register and inquire to learn more →](#)

- 

Voice & APP control, works with Alexa & Google Assistant
- 

Sunrise & Sunset light simulation mode together with 7 optional natural sound & FM radio
- 

Dual alarm clocks for weekday and weekend
- 

Adjustable 8-15MIN snooze time & 7 changeable ambience light & 20 adjustable brightness



Certificate: CE, RoHS, FCC

Voltage: 100-240V

Dimmable: Yes

Sales Area: Global

Battery: Button battery

Motion Detection Range: -

Bulb Type: -

Watts: -

Material: Shading ABS, PC

Bulb Socket: -

Lumen: -

IP Grade: -

Emitting Color: RGB, White

Color Temperature: -

Indoor or Outdoor Use: Indoor Only

Size: 16*16*6cm


[Back to Table of Contents →](#)

Smart Motion Night Light


[Register and inquire to learn more →](#)




Smart APP control



Intelligent photosensitive & infrared human body sensor



Rechargeable lithium battery, long standby



Magnetic back can be adsorbed on any metal surface



Certificate: CE, RoHS, FCC

Voltage: 100-240V

Dimmable: Yes

Sales Area: Global

Battery: Lithium battery

Motion Detection Range: Yes

Bulb Type: -

Watts: -

Material: ABS, PC

Bulb Socket: -

Lumen: -

IP Grade: -

Emitting Color: RGB

Color Temperature: -

Indoor or Outdoor Use: Indoor Only

Size: 82*27mm

[Back to Table of Contents →](#)

9W Tuya Wi-Fi RGB+CCT Down Light


[Register and inquire to learn more →](#)



Suitable for home use



Set scenes for every occasion



Choose from millions of colors



Certificate: CE, SAA, C-TICK

Voltage: 220-240V,50Hz

Dimmable: Yes

Sales Area: Available for all the markets with input voltage: 220-240V

Battery: -

Motion Detection Range: -

Bulb Type: LED SMD2835

Watts: 9W

Material: Plastic+aluminum

Bulb Socket: -

Lumen: 720lm

IP Grade: IP20

Emitting Color: RGB+CCT

Color Temperature: 2200K-6500K

Indoor or Outdoor Use: Indoor Only

Size: Φ115x60 Φ90mm



[Back to Table of Contents →](#)

3.5W Tuya Sig Mesh CCT+DIM Down Light


[Register and inquire to learn more →](#)



Suitable for home use



Set scenes for every occasion



CCT+DIM



Certificate: CE, SAA, C-TICK

Voltage: 220-240V,50Hz

Dimmable: Yes

Sales Area: Available for all the markets with input voltage: 220-240V

Battery: -

Motion Detection Range: -

Bulb Type: LED SMD2835

Watts: 3.5W

Material: Plastic

Bulb Socket: -

Lumen: 280lm

IP Grade: IP20

Emitting Color: CCT+DIM

Color Temperature: 3000K-6500K

Indoor or Outdoor Use: Indoor Only

Size: Φ112x49.6 Φ80mm


[Back to Table of Contents →](#)

36W Tuya Sig Mesh CCT+DIM Ceiling Light


[Register and inquire to learn more →](#)




Backlit High lumen Efficiency



Even light output, no spot or shadow



Surface mounted &suspended



No risk of turning yellow



Certificate: CE, SAA, C-TICK

Voltage: 100-240V,50Hz

Dimmable: Yes

Sales Area: Except North America market. Available for all the markets with input voltage: 100-240V

Battery: -

Motion Detection Range: -

Bulb Type: LED SMD2835

Watts: 36W

Material: Aluminum frame+steel housing+PS diffuser

Bulb Socket: -

Lumen: 3240lm

IP Grade: IP20

Emitting Color: CCT+DIM

Color Temperature: 3000-6500K

Indoor or Outdoor Use: Indoor Only

Size: Φ400x50mm

[Back to Table of Contents →](#)

9W Tuya Wi-Fi CCT+DIM Down Light

[Register and inquire to learn more →](#)



Suitable for home use



Set scenes for every occasion



CCT+DIM



Certificate: CE,SAA, C-TICK

Voltage: 220-240V,50Hz

Dimmable: Yes

Sales Area: Available for all the markets with input voltage: 220-240V

Battery: -

Motion Detection Range: -

Bulb Type: LED SMD2835

Watts: 9W

Material: Plastic+aluminum

Bulb Socket: -

Lumen: 720lm

IP Grade: IP20

Emitting Color: CCT+DIM

Color Temperature: 3000K-6500K

Indoor or Outdoor Use: Indoor Only

Size: Φ115x45 Φ90mm

[Back to Table of Contents →](#)

Filament Lamp


[Register and inquire to learn more →](#)



Energy saving, longlife span



Design pantent



Brightness dimming from 1% to 100%



Certificate: CECE, RoHS, RED, ETL

Voltage: 220-240V,50Hz 110-130V,60Hz

Dimmable: Yes

Sales Area: North American, Europe

Battery: -

Motion Detection Range: -

Bulb Type: A60

Watts: 6W

Material: Plastic, metal, ceramic

Bulb Socket: E26/E27

Lumen: 700LM

IP Grade: -

Emitting Color: Warm

Color Temperature: 2700K

Indoor or Outdoor Use: Indoor Only

Size: 60mm*115mm

[Back to Table of Contents →](#)

Filament Lamp


[Register and inquire to learn more →](#)




Energy saving, longlife span



Brightness dimming from 1% to 100%



CCT dimming from 2200K to 6500K



Fashionable and attractive appearance



Certificate: CE, RoHS, RED, ETL

Voltage: 220-240V,50Hz 110-130V,60Hz

Dimmable: Yes

Sales Area: North American, Europe

Battery: -

Motion Detection Range: -

Bulb Type: G80

Watts: 5W

Material: Plastic, metal, ceramic

Bulb Socket: E26/E27

Lumen: -

IP Grade: IP20

Emitting Color: Warm, White

Color Temperature: 2200-6500K

Indoor or Outdoor Use: Indoor Only

Size: 80mm*120mm


[Back to Table of Contents →](#)

LDS-SMWF-ST64-6W-CCT-AMBER


[Register and inquire to learn more →](#)



Energy saving, longlife span



Brightness dimming from 1% to 100%



CCT dimming from 2200K to 6500K



Certificate: CE, RoHS, RED, ETL

Voltage: 220-240V,50Hz 110-130V,60Hz

Dimmable: Yes

Sales Area: North American, Europe

Battery: -

Motion Detection Range: -

Bulb Type: ST64

Watts: 5W

Material: Plastic, metal, ceramic

Bulb Socket: E26/E27

Lumen: 500LM

IP Grade: -

Emitting Color: Warm ,white

Color Temperature: 2000K-5000K

Indoor or Outdoor Use: Indoor Only

Size: 64mm*143mm


[Back to Table of Contents →](#)

Smart LED Strip EU 5m RGBCW - Wi-Fi


[Register and inquire to learn more →](#)




Super fast finding and connecting devices-<0.1s




Amazing music function-16 millions color



Voice control-Alexa and Google Assistant



Set scenes for every occasion



No extra equipment or switches needed



Certificate: CE, ROHS	Voltage: 220-240V,50Hz	Dimmable: Yes
Sales Area: South American, Europe, Asia	Battery: -	Motion Detection Range: No
Bulb Type: LED Strip	Watts: 3W/M	Material: -
Bulb Socket: -	Lumen: -	IP Grade: IP20
Emitting Color: RGB, CW	Color Temperature: 2700K-6500K	Indoor or Outdoor Use: Indoor Only

Size: 2/3/5 metter length

[Back to Table of Contents →](#)

12W Smart Wi-Fi LED Bulb RGBCW


[Register and inquire to learn more →](#)




Super fast finding and connecting devices-<0.1s




Amazing music function-16 millions color



Voice control-Alexa and Google Assistant



Set scenes for every occasion



No extra equipment or switches needed



Certificate: CE, ROHS

Voltage: 220-240V,50Hz

Dimmable: Yes

Sales Area: South American, Europe, Asia

Battery: -

Motion Detection Range: No

Bulb Type: A70

Watts: 12W

Material: -

Bulb Socket: E27

Lumen: 1050

IP Grade: IP20

Emitting Color: RGB, CW

Color Temperature: 2700K-6500K

Indoor or Outdoor Use: Indoor Only

Size: -

[Back to Table of Contents →](#)

9W Smart Wi-Fi LED Bulb RGBCW


[Register and inquire to learn more →](#)




Super fast finding and connecting devices-<0.1s




Amazing music function-16 millions color



Voice control-Alexa and Google Assistant



Set scenes for every occasion



No extra equipment or switches needed



Certificate: CE, ROHS

Voltage: 110-240VAC

Dimmable: Yes

Sales Area: South American, Europe, Asia

Battery: -

Motion Detection Range: No

Bulb Type: A60

Watts: 9W

Material: -

Bulb Socket: E27

Lumen: 810

IP Grade: IP20

Emitting Color: RGB, CW

Color Temperature: 2700K-6500K

Indoor or Outdoor Use: Indoor Only

Size: Ø60*117mm

[Back to Table of Contents →](#)

Smart Wi-Fi LED Spotlight GU10


[Register and inquire to learn more →](#)




Super fast finding and connecting devices-<0.1s




Amazing music function-16 millions color



Voice control-Alexa and Google Assistant



Set scenes for every occasion



No extra equipment or switches needed



Certificate: CE, ROHS

Voltage: 220-240VAC

Dimmable: Yes

Sales Area: South American, Europe, Asia

Battery: -

Motion Detection Range: No

Bulb Type: GU10

Watts: 5W

Material: -

Bulb Socket: -

Lumen: 400

IP Grade: IP20

Emitting Color: RGB, CW

Color Temperature: 2700K-6500K

Indoor or Outdoor Use: Indoor Only

Size: -


[Back to Table of Contents →](#)

Memory Power OFF Wi-Fi RGBCW A65 LED Bulb


[Register and inquire to learn more →](#)




16 millions colors, RGB+CCT




Wi-Fi & BLE dual mode device



Power Off Memory



Remote App control & Voice Control



Music Sync



Certificate: CE	Voltage: AC100-240V	Dimmable: Yes
Sales Area: Southeast Asia	Battery: -	Motion Detection Range: -
Bulb Type: A65	Watts: 11W	Material: Plastic-coated aluminum
Bulb Socket: E27	Lumen: 1100	IP Grade: -
Emitting Color: RGB+CCT	Color Temperature: 2700K-6500K	Indoor or Outdoor Use: Indoor Only

Size: 65mm*127mm


[Back to Table of Contents →](#)


Memory Power OFF CCT Tunable A65 LED Bulb


[Register and inquire to learn more →](#)

- 

CCT tunable
- 

Wi-Fi & BLE dual mode device
- 

Power Off Memory
- 

Remote App control & Voice Control
- 

Music Sync



Certificate: CE

Voltage: AC100-240V

Dimmable: Yes

Sales Area: Southeast Asia

Battery: -

Motion Detection Range: -

Bulb Type: A65

Watts: 11W

Material: Plastic-coated aluminum

Bulb Socket: E27

Lumen: 1100

IP Grade: -

Emitting Color: CCT

Color Temperature: 2700K-6500K

Indoor or Outdoor Use: Indoor Only

Size: 65mm*127mm


[Back to Table of Contents →](#)

Memory Power OFF Wi-Fi RGBCW A60 LED Bulb


[Register and inquire to learn more →](#)




16 millions colors, RGB+CCT




Wi-Fi & BLE dual mode device



Power Off Memory



Remote App control & Voice Control



Music Sync



Certificate: CE

Voltage: AC100-240V

Dimmable: Yes

Sales Area: Southeast Asia

Battery: -

Motion Detection Range: -

Bulb Type: A60

Watts: 8W

Material: Plastic-coated aluminum

Bulb Socket: E27

Lumen: 650

IP Grade: -

Emitting Color: RGB+CCT

Color Temperature: 2700K-6500K

Indoor or Outdoor Use: Indoor Only

Size: 60mm*120mm

[Back to Table of Contents →](#)

Memory Power OFF CCT Tunable A60 LED Bulb


[Register and inquire to learn more →](#)




CCT tunable




Wi-Fi & BLE dual mode device




Power Off Memory



Remote App control & Voice Control



Music Sync



Certificate: CE

Voltage: AC100-240V

Dimmable: Yes

Sales Area: Southeast Asia

Battery: -

Motion Detection Range: -

Bulb Type: A60

Watts: 8W

Material: Plastic-coated aluminum

Bulb Socket: E27

Lumen: 650

IP Grade: -

Emitting Color: CCT

Color Temperature: 2700K-6500K

Indoor or Outdoor Use: Indoor Only

Size: 60mm*120mm



[Back to Table of Contents →](#)

Wi-Fi A60 7W RGB+WW+CW


[Register and inquire to learn more →](#)



Long lasting and low energy use



Set scenes for every occasion



Customer OEM



Certificate: EMC,CE,ROSH

Voltage: 220-240V,50Hz

Dimmable: Yes

Sales Area: North American, Europe, Brazil

Battery: -

Motion Detection Range: -

Bulb Type: A60

Watts: 7W

Material: PC

Bulb Socket: E27

Lumen: 470LM

IP Grade: IP20

Emitting Color: RGB+CCT

Color Temperature: 2700K-6500K

Indoor or Outdoor Use: Indoor Only

Size: 60mm*112mm

[Back to Table of Contents →](#)

Wi-Fi A60 10W RGB+WW+CW


[Register and inquire to learn more →](#)



Long lasting and low energy use



Set scenes for every occasion



Customer OEM



Certificate: EMC,CE,ROSH

Voltage: 220-240V,50Hz

Dimmable: Yes

Sales Area: North American, Europe, Brazil

Battery: -

Motion Detection Range: -

Bulb Type: A60

Watts: 10W

Material: PC

Bulb Socket: E27

Lumen: 806LM

IP Grade: IP20

Emitting Color: RGB+CCT

Color Temperature: 2700K-6500K

Indoor or Outdoor Use: Indoor Only

Size: 60mm*120mm



[Back to Table of Contents →](#)

Wi-Fi GU10 5.5W RGB+WW+CW


[Register and inquire to learn more →](#)



Long lasting and low energy use



Set scenes for every occasion



Customer OEM



Certificate: EMC,CE,ROSH

Voltage: 220-240V,50Hz

Dimmable: Yes

Sales Area: North American, Europe, Brazil

Battery: -

Motion Detection Range: -

Bulb Type: GU10

Watts: 5.5W

Material: PC

Bulb Socket: -

Lumen: 400LM

IP Grade: IP20

Emitting Color: RGB+CCT

Color Temperature: 2700K-6500K

Indoor or Outdoor Use: Indoor Only

Size: 50mm*56.5mm

[Back to Table of Contents →](#)

Smart Led Bulb A60


[Register and inquire to learn more →](#)




Low energy consumption




Good quality of light, consistent chromaticity



Compact design, easy replacement of classic lamps



Instant 100% light, no warm-up time



Color temp: W/CCT/RGBW/RGB+CCT



Certificate: BIS

Voltage: 150-300V

Dimmable: Yes

Sales Area: India

Battery: -

Motion Detection Range: -

Bulb Type: A60

Watts: 9W

Material: Plastic-coated aluminum

Bulb Socket: E27

Lumen: 800

IP Grade: -

Emitting Color: RGB+CCT

Color Temperature: 2700K-6500K

Indoor or Outdoor Use: Indoor Only

Size: 60mm*113mm


[Back to Table of Contents →](#)

Smart Led Bulb


[Register and inquire to learn more →](#)




Long lasting and low energy use




Set scenes for every occasion



Choose from millions of colors



Higher lumens and brighter



Voice control (Alexa, googlehome, homekit)



Certificate: CE, ROHS

Voltage: 110-240V,50Hz/60Hz

Dimmable: Yes

Sales Area: Southeast Asia, Europe

Battery: No

Motion Detection Range: No

Bulb Type: A60

Watts: 7W/9W/10W/12W

Material: -

Bulb Socket: E27B22/E26

Lumen: 100lm/w

IP Grade: No

Emitting Color: RGB+CCT

Color Temperature: 2700K-6500K+RGB

Indoor or Outdoor Use: Indoor Only

Size: 60mm*118mm

[Back to Table of Contents →](#)

Smart Table Lamp


[Register and inquire to learn more →](#)




Long lasting and low energy use



Set scenes for every occasion



Choose from millions of colors



Music function, voice control



Certificate: CE, ROHS

Voltage: 110-240V,50Hz/60Hz

Dimmable: Yes

Sales Area: Southeast Asia, Europe

Battery: No

Motion Detection Range: No

Bulb Type: LED chips

Watts: 7W

Material: -

Bulb Socket: With different socket (uk/eu/jp/us etc)

Lumen: 650lms

IP Grade: No

Emitting Color: RGBW

Color Temperature: 3000k+RGB

Indoor or Outdoor Use: Indoor Only

Size: 60mm*118mm

[Back to Table of Contents →](#)

Smart UVC Lamp


[Register and inquire to learn more →](#)




Motion function, protect people from UVC hurt




Children lock, safer



Custom timer



App remote control and voice control



Disinfection diary statistics



Certificate: CE, ROHS, FCC

Voltage: 110-240V,50Hz/60Hz

Dimmable: No

Sales Area: Southeast Asia, Europe

Battery: No

Motion Detection Range: Yes

Bulb Type: UVC TUBE

Watts: 38W/58W

Material: -

Bulb Socket: With different socket (uk/eu/jp/us etc)

Lumen: -

IP Grade: No

Emitting Color: UV

Color Temperature: -

Indoor or Outdoor Use: Indoor Only

Size: 60mm*118mm

[Back to Table of Contents →](#)

LED Strip HARSTAD RGB+CCT


[Register and inquire to learn more →](#)




Easy to set up




Timer switch



Voice control



Can work with alexa and google home



Sync music



Certificate: CE(RED),ROHS2.0,FCC,ETL,TUV,UL,BSCI

Voltage: 12V,50/60HZ

Dimmable: Yes

Sales Area: Global

Battery: -

Motion Detection Range: -

Bulb Type: LED Strip

Watts: 6W/M +3.5W/M+3.5W/M

Material: PU

Bulb Socket: -

Lumen: 230LM/M

IP Grade: IP65

Emitting Color: RGB+CCT

Color Temperature: 2700-6500K+RGB

Indoor or Outdoor Use: Indoor and Outdoor

Size: 5m*12mm

[Back to Table of Contents →](#)

Smart Led Bulb NUUK GU10


[Register and inquire to learn more →](#)




Mobile control, voice control




Time schedule



Wi-Fi&bluetooth connection



Easy to set up



Select a default scene for each moment



Certificate: CE, RoHS

Voltage: AC220-240V,50/60HZ

Dimmable: Yes

Sales Area: Global

Battery: -

Motion Detection Range: -

Bulb Type: GU10

Watts: 5W±10%

Material: Plastic aluminum housing+pc cover

Bulb Socket: GU10

Lumen: 400LM

IP Grade: -

Emitting Color: RGB+CCT

Color Temperature: RGB+2700K-6500K

Indoor or Outdoor Use: Indoor Only

Size: φ50*56mm

[Back to Table of Contents →](#)

Smart Ceiling Light


[Register and inquire to learn more →](#)




Uniformed light distribution



RGB+CCT changing+Dim



High Lumen output, 100lm/w



Work with remote controller at the same time



Certificate: CE, SAA

Voltage: 220-240V,50Hz

Dimmable: Yes

Sales Area: Global

Battery: -

Motion Detection Range: -

Bulb Type: -

Watts: 12/18/24

Material: -

Bulb Socket: -

Lumen: 100lm/w

IP Grade: IP44 for optional

Emitting Color: RGB+CCT

Color Temperature: 2700K-6500K

Indoor or Outdoor Use: Indoor Only

Size: D1:290mm*D2:260mm*H80mm D1:340mm*D2:300mm*H90mm D1:350mm*D2:320mm*H95mm


[Back to Table of Contents →](#)

Smart COB Downlight


[Register and inquire to learn more →](#)



COB downlight with reflector,
high-end outlook



CCT changing+Dim



Bluetooth connection



Certificate: CE, SAA	Voltage: 220-240V,50Hz	Dimmable: Yes
Sales Area: Global	Battery: -	Motion Detection Range: -
Bulb Type: -	Watts: 10	Material: -
Bulb Socket: -	Lumen: 80lm/w	IP Grade: -
Emitting Color: CCT	Color Temperature: 2700K-6500K	Indoor or Outdoor Use: Indoor Only

Size: D97mm*H100.50mm

[Back to Table of Contents →](#)

Smart Spot Light


[Register and inquire to learn more →](#)



Very competitive price



RGB+CCT changing+Dim



Waterproof



Certificate: CE, SAA

Voltage: 220-240V,50Hz

Dimmable: Yes

Sales Area: Global

Battery: -

Motion Detection Range: -

Bulb Type: -

Watts: 12w/15w

Material: -

Bulb Socket: -

Lumen: 90lm/w

IP Grade: IP65

Emitting Color: RGB+CCT

Color Temperature: 2700K-6500K

Indoor or Outdoor Use: Indoor and outdoor

Size: D90mm* H105mm D120mm* H120mm



[Back to Table of Contents →](#)

Smart Downlight

[Register and inquire to learn more →](#)



Very competitive price



RGB+CCT changing+Dim



Certificate: CE, SAA	Voltage: 220-240V,50Hz	Dimmable: Yes
Sales Area: Global	Battery: -	Motion Detection Range: -
Bulb Type: -	Watts: 9w	Material: -
Bulb Socket: -	Lumen: 85lm/w	IP Grade: IP44 for the front
Emitting Color: RGB+CCT	Color Temperature: 2700K-6500K	Indoor or Outdoor Use: Indoor and outdoor

Size: D115mm* H60mm



[Back to Table of Contents →](#)

Smart Led Bulb


[Register and inquire to learn more →](#)



Long lasting and low energy use.



Set scenes for every occasion



Choose from millions of colors



Certificate: CE	Voltage: 100-240V	Dimmable: Yes
Sales Area: Global	Battery: -	Motion Detection Range: -
Bulb Type: A60	Watts: 5W	Material: -
Bulb Socket: E27/E26	Lumen: 470lm/w	IP Grade: -
Emitting Color: RGBCW	Color Temperature: 3000K-6500K	Indoor or Outdoor Use: Indoor Only

Size: 60mm*115mm



[Back to Table of Contents →](#)

Smart Led Bulb


[Register and inquire to learn more →](#)



Long lasting and low energy use.



Set scenes for every occasion



Choose from millions of colors



Certificate: CE	Voltage: 100-240V	Dimmable: Yes
Sales Area: Global	Battery: -	Motion Detection Range: -
Bulb Type: A60	Watts: 8.5W	Material: -
Bulb Socket: E27/E26	Lumen: 800lm/w	IP Grade: -
Emitting Color: RGBCW	Color Temperature: 3000K-6500K	Indoor or Outdoor Use: Indoor Only

Size: 60mm*115mm

[Back to Table of Contents →](#)

Smart Led Bulb


[Register and inquire to learn more →](#)




Long lasting and low energy use.



Set scenes for every occasion



Choose from millions of colors



Certificate: CE	Voltage: 100-240V	Dimmable: Yes
Sales Area: Global	Battery: -	Motion Detection Range: -
Bulb Type: Filament A60 clear	Watts: 5W	Material: -
Bulb Socket: E27/E26	Lumen: 470lm/w	IP Grade: -
Emitting Color: CCT	Color Temperature: 3000K-6500K	Indoor or Outdoor Use: Indoor Only
Size: 60mm*110mm		

[Back to Table of Contents →](#)

Smart Led Bulb


[Register and inquire to learn more →](#)




Long lasting and low energy use.



Set scenes for every occasion



Choose from millions of colors



Certificate: CE

Voltage: 100-240V

Dimmable: Yes

Sales Area: Global

Battery: -

Motion Detection Range: -

Bulb Type: Filament ST64 clear

Watts: 5W

Material: -

Bulb Socket: E27/E26

Lumen: 470lm/w

IP Grade: -

Emitting Color: CCT

Color Temperature: 3000K-6500K

Indoor or Outdoor Use: Indoor Only

Size: 60mm*135mm

[Back to Table of Contents →](#)

Smart Led Bulb


[Register and inquire to learn more →](#)




Long lasting and low energy use.



Set scenes for every occasion



Choose from millions of colors



Certificate: CE	Voltage: 100-240V	Dimmable: Yes
Sales Area: Global	Battery: -	Motion Detection Range: -
Bulb Type: Filament A60 clear	Watts: 8W	Material: -
Bulb Socket: E27/E26	Lumen: 800lm/w	IP Grade: -
Emitting Color: CCT	Color Temperature: 3000K-6500K	Indoor or Outdoor Use: Indoor Only
Size: 60mm*110mm		

Electrical




[Back to Table of Contents →](#)

IR Remote Controller (UF0-R1/R2)

[Register and inquire to learn more →](#)



Compatible with 3rd-party Voice Assistant Access



Moblie phone remote control IR device




Certificate: CE	Material: PC+ABS	Power Supply: USB
Sales Area: Global	Working Temperature: -10-40℃	Wearing Method: -
Voltage: -	Working Lifetime（Hour）: -	Waterproof Level: -
Wattage: -	Packing Size: 70*70*48MM	Product Dimensions: ϕ68mm High: 27.8mm
Item Weight: 68g	Packing List: -	Style: -


[Back to Table of Contents →](#)

IR Remote Controller (UF0-R2)

[Register and inquire to learn more →](#)



Compatible with 3rd-party Voice Assistant Access



Moblie phone remote control IR device




Certificate: CE	Material: PC+ABS	Power Supply: USB
Sales Area: Global	Working Temperature: -10-40℃	Wearing Method: -
Voltage: -	Working Lifetime（Hour）: -	Waterproof Level: -
Wattage: -	Packing Size: 70*70*48mm	Product Dimensions: 68X68X27mm
Item Weight: 65g	Packing List: -	Style: -


[Back to Table of Contents →](#)

IR Remote Controller (UF0-R3)

[Register and inquire to learn more →](#)



Compatible with 3rd-party Voice Assistant Access



Moblie phone remote control IR device



Certificate: CE

Material: PC+ABS

Power Supply: USB

Sales Area: Global

Working Temperature: -10-40℃

Wearing Method: -

Voltage: -

Working Lifetime (Hour) : -

Waterproof Level: -

Wattage: -

Packing Size: 70*70*48mm

Product Dimensions: 68X68X28mm

Item Weight: 62g

Packing List: -

Style: -


[Back to Table of Contents →](#)

IR Remote Controller (UF0-R4)

[Register and inquire to learn more →](#)



Compatible with 3rd-party Voice Assistant Access



Moblie phone remote control IR device



Certificate: CE

Material: PC+ABS

Power Supply: USB

Sales Area: Global

Working Temperature: -10-40℃

Wearing Method: -

Voltage: -

Working Lifetime（Hour）: -

Waterproof Level: -

Wattage: -

Packing Size: 70*70*48mm

Product Dimensions: 68X68X27mm

Item Weight: 68g

Packing List: -

Style: -

[Back to Table of Contents →](#)

Battery Zigbee / Sigmesh Scene Switch

[Register and inquire to learn more →](#)



Portable zigbee,scene switch



Certificate: CE(LVD/ RED) RoHs

Material: PC-V0

Power Supply: USB

Sales Area: Global

Working Temperature: 0-60℃

Wearing Method: -

Voltage: 3V

Working Lifetime（Hour）:2 years for battery life

Waterproof Level: -

Wattage: -

Packing Size: 90X90X15mm

Product Dimensions: 86X86X13mm

Item Weight: 45g

Packing List: 1Xsmart scene switch 1Xsticker 1X user manule

Style: Portable


[Back to Table of Contents →](#)

Zigbee Smart Switch without Neutral Line

[Register and inquire to learn more →](#)



Without neutral wire



Certificate: -	Material: PC-V0	Power Supply:Power
Sales Area: EU/ Asia	Working Temperature: 0-60℃	Wearing Method: -
Voltage: 100-240V	Working Lifetime（Hour）:10W times for button	Waterproof Level: -
Wattage: 400W	Packing Size: 90X90X40mm	Product Dimensions: 86X86X36mm
Item Weight: 109g	Packing List: 1Xsmart switch 1X user manule	Style:On-Wall


[Back to Table of Contents →](#)

Tuya Wi-Fi Meter Leakage

[Register and inquire to learn more →](#)



More than 40 functions



Dual-core leakage protection function,
higher safety



Line maintenance safety lock



Obtained 45 patent certifications



Certificate: FCC/ CCC/ CQC/ CE

Material: Copper/ iron/ plastic/ silver/ etc.

Power Supply:External Power Supply

Sales Area: Global

Working Temperature: -25℃~+65℃

Wearing Method: -

Voltage: AC110V/ AC220V/ AC230V/ AC380V/ AC400V

Working Lifetime (Hour) : Mechanical life is greater than 10,000 times. Electrical life is greater than 6000 times

Waterproof Level:IP20

Wattage: -

Packing Size: 2P:150mm*76mm*84mm/
4P:150mm*130mm*84mm

Product Dimensions: 2P:72*79*131/ 4P:126*79*131

Item Weight: 2P:525/ 4P:820


Packing List: -

Style: 2P/ 4P


[Back to Table of Contents →](#)

Tuya Wi-Fi Normal Edition

[Register and inquire to learn more →](#)



Opening and closing control



Certificate: FCC/ CCC/ CQC/ CE

Product Dimensions: 1P:109*36*73/ 2P:109*54*73/
3P:109*72*73/ 4P:109*90*73

Packing List: -

Sales Area: Global

Material: Copper/ iron/ plastic/ silver/ etc.

Style: 1P/ 2P/ 3P/ 4P

Voltage: AC110V/ AC220V/ AC230V/ AC380V/ AC400V

Working Temperature: -25°C~+65°C

Power Supply:External Power Supply

Wattage: -

Working Lifetime (Hour) : Mechanical life is greater than
10,000 times. Electrical life is greater than 6000 times

Wearing Method: -

Item Weight: 1P:196/ 2P:319/ 3P:438/ 4P:538

Packing Size: 1P:110mm*110mm*100mm/
2P:110mm*110mm*100mm/ 3P:110mm*110mm*100mm/
4P:110mm*110mm*100mm

Waterproof Level:IP20

[Back to Table of Contents →](#)

EU Smart Plug

[Register and inquire to learn more →](#)



Energy Monitor



Stable product quality



Certificate: CE/ ROHS

Product Dimensions: 55*50*80mm

Packing List: Plug *1/ Manual book *1

Sales Area: Indonesia

Material: PC V0

Style: EU version

Voltage: 100-240V

Working Temperature: -20~ 60 °C

Power Supply: 100-240V AC

Wattage: Max 3840W

Working Lifetime (Hour) : 5 years

Wearing Method: No

Item Weight: 100g

Packing Size: 57*52*85mm

Waterproof Level: No

[Back to Table of Contents →](#)

Smart Breaker

[Register and inquire to learn more →](#)



Widely used



Stable product quality



Certificate: CE/ ROHS

Product Dimensions: 55*25*23mm

Packing List: Breaker *1/ Screw *1 / Manual book *1

Sales Area: Global

Material: PC V0

Style: Universl Version

Voltage: 100-240V

Working Temperature: -20~ 60 °C

Power Supply: 100-240V AC

Wattage: `Max 2400w

Working Lifetime（Hour）：5 years

Wearing Method: No

Item Weight: 50g

Packing Size: 57*27*26mm

Waterproof Level: No

[Back to Table of Contents →](#)

Smart IR

[Register and inquire to learn more →](#)



Widely used



Stable product quality



Certificate: CE/ ROHS

Product Dimensions: 50*50*19mm

Packing List: IR Remote *1/ USB cabel *1/ Manual book *1

Sales Area: Global

Material: ABS

Style: Universl Version

Voltage: DC 5V 1A

Working Temperature: -20~ 60 °C

Power Supply: 100-240V AC

Wattage: Max 5w

Working Lifetime (Hour) : 5 years

Wearing Method: No

Item Weight: 55g

Packing Size: 53*53*40mm

Waterproof Level: No




[Back to Table of Contents →](#)


JPN Smart Wi-Fi Plug Mini

[Register and inquire to learn more →](#)

- 

Wirless Type: Wi-Fi 2.4G 1T1R Radio
- 

Works with Amazon Alexa / Google Home
- 

Controlling Distance: No Distance Limit
- 

Voice Control Timing & Countdown Group Control & Sharing



Certificate: PSE/ TELEC

Product Dimensions: 75*38*47mm

Packing List: JPN Wi-Fi Plug*1/ Manual*1

Sales Area: Japan/Southeast Asia

Material: Flame retarding V0 class ABS+PC

Style: AV

Voltage: 50Hz/60Hz AC100V

Working Temperature: 0°C-40°C RH≤80%

Power Supply: Not waterproof

Wattage: 1875W

Working Lifetime (Hour) : 5 years

Wearing Method: 43*40.5*13 (cm)

Item Weight: 60g

Packing Size: 7.8*4.2*5.1 cm

Waterproof Level: -

[Back to Table of Contents →](#)

Universal Smart Wi-Fi Plug


[Register and inquire to learn more →](#)




Wirless Type: Wi-Fi 2.4G 1T1R
Radio



Works with Amazon Alexa / Google
Home



Controlling Distance: No Distance
Limit



Voice Control Timing &
Countdown Group Control &
Sharing



Certificate: -

Product Dimensions: 60*50*46 mm

Packing List: Universal Smart Wi-Fi Plug*1 / Manual*1

Sales Area: Global

Material: Flame retarding UL94V0 class ABS+PC

Style: AV

Voltage: 50Hz/60Hz AC230V

Working Temperature: 0°C-40°C RH≤80%

Power Supply: Not waterproof

Wattage: 3750W

Working Lifetime (Hour) : 5 years

Wearing Method: 43*29.5*37.5 cm

Item Weight: 70g

Packing Size: 6.8*5.3*5.8 cm

Waterproof Level: -

[Back to Table of Contents →](#)

Universal Smart Wi-Fi Power Strip


[Register and inquire to learn more →](#)




Wirless Type: Wi-Fi 2.4G 1T1R
Radio




Works with Amazon Alexa / Google
Home



Controlling Distance: No Distance
Limit



Voice Control Timing &
Countdown Group Control &
Sharing



Certificate: -

Product Dimensions: 270*59*33 mm

Packing List: Universal Smart Wi-Fi Power Srtip*1/ Manual*1

Sales Area: Global

Material: Flame retarding UL94V0 class ABS+PC

Style: AV

Voltage: 50Hz/60Hz AC230V

Working Temperature: 0°C-40°C RH≤80%

Power Supply: Not waterproof

Wattage: 2500W

Working Lifetime (Hour) : 5 years

Wearing Method: -

Item Weight: 265g

Packing Size: -

Waterproof Level: -

[Back to Table of Contents →](#)

Smart Plug (EU type)


[Register and inquire to learn more →](#)



Support Amazon Echo and Google Home Support Network Status



Support Device Sharing



Support both AP Mode and Wi-Fi smart link




Certificate: CE/ ROHS	Field of View: -	Audio Communication: -
Sales Area: Global	Power Supply: -	Storage Type: -
Resolution: -	Power Consumption: -	Storage: -
Image Compression: -	Night Vision: -	Indoor or Outdoor Use: Indoor
Image Frame Rate: -	IR Distance: -	Waterproof: -
Image Sensor: -	Motion Dection: -	Work Temperature: -20-50°


[Back to Table of Contents →](#)

American Standard Wi-Fi touch Switch on

[Register and inquire to learn more →](#)



Metal frame



2.5D tempered glass panel



Aluminum alloy CNC process,
anodic oxidation sand blasting
treatment



Certificate: CE/ FCC/ NCC

Product Dimensions: 72*118*33.5mm

Packing List: Operating instructions/ Certificate of competency/ screw

Sales Area: Europe/ America/ Southeast Asia

Material: PC+ABS/ Aluminum alloy frame/ tempered glass

Style: -

Voltage: AC: 90~240V

Working Temperature: -10- 60 °C

Power Supply: Zero line

Wattage: 1000W

Working Lifetime (Hour) : 80000 times

Wearing Method: -

Item Weight: 185.5g


Packing Size: 126*78.6*61 mm

Waterproof Level: -


[Back to Table of Contents →](#)

American Standard Wi-Fi Touch Two on Switch

[Register and inquire to learn more →](#)



Metal frame



2.6D tempered glass panel



Aluminum alloy CNC process,
anodic oxidation sand blasting
treatment



Certificate: CE/ FCC/ NCC

Product Dimensions: 72*118*33.5mm

Packing List: Operating instructions/ Certificate of competency/ screw

Sales Area: Europe/ America/ Southeast Asia

Material: PC+ABS/ Aluminum alloy frame/ tempered glass

Style: -

Voltage: AC: 90~240V

Working Temperature: -10- 60 °C

Power Supply: Zero line

Wattage: 1000W

Working Lifetime (Hour) : 80000 times

Wearing Method: -

Item Weight: 193.75g


Packing Size: 126*78.6*61 mm

Waterproof Level: -


[Back to Table of Contents →](#)

American Standard Wi-Fi Touch Two on Switch

[Register and inquire to learn more →](#)



Metal frame



2.7D tempered glass panel



Aluminum alloy CNC process,
anodic oxidation sand blasting
treatment



Certificate: CE/ FCC/ NCC

Product Dimensions: 72*118*33.5mm

Packing List: Operating instructions/ Certificate of competency/ screw

Sales Area: Europe/ America/ Southeast Asia

Material: PC+ABS/ Aluminum alloy frame/ tempered glass

Style: -

Voltage: AC: 90~240V

Working Temperature: -10- 60 °C

Power Supply: Zero line

Wattage: 1000W

Working Lifetime (Hour) : 80000 times

Wearing Method: -

Item Weight: 201.5g


Packing Size: 126*78.6*61 mm

Waterproof Level: -


[Back to Table of Contents →](#)

American Standard Wi-Fi Touch Two on Switch

[Register and inquire to learn more →](#)



Metal frame



2.8D tempered glass panel



Aluminum alloy CNC process,
anodic oxidation sand blasting
treatment



Certificate: CE/ FCC/ NCC

Product Dimensions: 72*118*33.5mm

Packing List: Operating instructions/ Certificate of competency/ screw

Sales Area: Europe/ America/ Southeast Asia

Material: PC+ABS/ Aluminum alloy frame/ tempered glass

Style: -

Voltage: AC: 90~240V

Working Temperature: -10- 60 °C

Power Supply: Zero line

Wattage: 1000W

Working Lifetime (Hour) : 80000 times

Wearing Method: -

Item Weight: 209.75g


Packing Size: 126*78.6*61 mm

Waterproof Level: -


[Back to Table of Contents →](#)

American Standard Wi-Fi Touch Scene Two Switch

[Register and inquire to learn more →](#)



Metal frame



2.9D tempered glass panel



Aluminum alloy CNC process,
anodic oxidation sand blasting
treatment



Certificate: CE/ FCC/ NCC

Product Dimensions: 72*118*33.5mm

Packing List: Operating instructions/ Certificate of competency/ screw

Sales Area: Europe/ America/ Southeast Asia

Material: PC+ABS/ Aluminum alloy frame/ tempered glass

Style: -

Voltage: AC: 90~240V

Working Temperature: -10- 60 °C

Power Supply: Zero line

Wattage: 1000W

Working Lifetime (Hour) : 80000 times

Wearing Method: -

Item Weight: 218g


Packing Size: 126*78.6*61 mm

Waterproof Level: -


[Back to Table of Contents →](#)

American Standard Wi-Fi Touch Scene Two Switch

[Register and inquire to learn more →](#)



Metal frame



2.10D tempered glass panel



Aluminum alloy CNC process,
anodic oxidation sand blasting
treatment



Certificate: CE/ FCC/ NCC

Product Dimensions: 72*118*33.5mm

Packing List: Operating instructions/ Certificate of competency/ screw

Sales Area: Europe/ America/ Southeast Asia

Material: PC+ABS/ Aluminum alloy frame/ tempered glass

Style: -

Voltage: AC: 90~240V

Working Temperature: -10- 60 °C

Power Supply: Zero line

Wattage: 1000W

Working Lifetime (Hour) : 80000 times

Wearing Method: -

Item Weight: 201.5g

Packing Size: 126*78.6*61 mm

Waterproof Level: -


[Back to Table of Contents →](#)

Smart Wall Light Switch KS-811

[Register and inquire to learn more →](#)



1/2/3gang can be supported



Need neutral or without neutral wire 2 options can be supported



Certificate: SAA

Product Dimensions: 116*75*35mm

Packing List: User manual/ Screw

Sales Area: Southeast Asia

Material: PC material

Style: -

Voltage: 110-240V

Working Temperature: 10- 80 °C

Power Supply: AC

Wattage: 1800W

Working Lifetime (Hour) : 35000

Wearing Method: -

Item Weight: 0.23kg


Packing Size: 13.8x10.3x58.5 cm

Waterproof Level: -

[Back to Table of Contents →](#)

Smart Wall Light Switch TB21/22/23

[Register and inquire to learn more →](#)



1/2/3gang can be supported



White & Gold color




Certificate: -	Product Dimensions: 116x75x28mm	Packing List: User manual/ Screw
Sales Area: Southeast Asia	Material: PC material	Style: -
Voltage: 110-240V	Working Temperature: 10- 80 °C	Power Supply: AC
Wattage: 1800W	Working Lifetime（Hour）: 35000	Wearing Method: -
Item Weight: 0.27kg	Packing Size: 13.8x10.3x58.5 cm	Waterproof Level: -

[Back to Table of Contents →](#)

Smart Lighting Switch TB11/12/13

[Register and inquire to learn more →](#)



1/2/3gang can be supported



Black/gold/silver color can be chose



Certificate: -	Product Dimensions: 86*86*32mm	Packing List: User manual/ Screw
Sales Area: Southeast Asia	Material: PC material	Style: -
Voltage: 110-240V	Working Temperature: 10- 80 °C	Power Supply: AC
Wattage: 1800W	Working Lifetime（Hour）：35000	Wearing Method: -
Item Weight: 0.28kg	Packing Size: 14x10.5x5cm	Waterproof Level: -

[Back to Table of Contents →](#)

Smart Wall Socket

[Register and inquire to learn more →](#)



With Energy Monitoring Function



Certificate: -	Product Dimensions: 150*90*38.3mm	Packing List: User manual/ Screw
Sales Area: Southeast Asia/ UK	Material: PC material	Style: -
Voltage: 110-240V	Working Temperature: -20°C-75°C	Power Supply: AC
Wattage: Load Power: Total 2500W(120V)	Working Lifetime（Hour）：35000	Wearing Method: -
Item Weight: 0.35kg	Packing Size: 16.9X11X55 cm	Waterproof Level: -

[Back to Table of Contents →](#)


Smart Infrared Remote Control

[Register and inquire to learn more →](#)

- 

Control all the infrared remote (IR) controlled devices
- 

Support smart scene mode and sleep mode
- 

Learning function
- 

Smart scheduling function, automatically turn on or turn off devices at a set time



Certificate: CEL FCC/ RoHS	Product Dimensions: Diameter: 6.8cm Height: 0.8cm	Packing List: Manual*1, camera*1/ Accessories
Sales Area: Southeast Asia	Material: ABS(fireproof)	Style: DC
Voltage: DC 5V/1A	Working Temperature: -10°C~60°C	Power Supply: None
Wattage: 5W	Working Lifetime (Hour) : More than 43800 hours	Wearing Method: -
Item Weight: 0.05kg	Packing Size: 15*6.9*2.3 cm	Waterproof Level: 400*400*300mm/ Wight of outer packing: 10kg/ Packing number: 200pcs


[Back to Table of Contents →](#)

Wi-Fi Touch Light Switch Work with & without Neutral Wire

[Register and inquire to learn more →](#)

- 

Wi-Fi Connection, no need gateway
- 

With power off memory function
- 

Timer funtion, support smart scene setting
- 

SWorks with Google home/Amazon Echo Show



Certificate: CE	Product Dimensions: 86 * 86 * 34 mm	Packing List: Touch Switch*1/ Screws*2/ User manual*1
Sales Area: Global	Material: PC flame retardant material	Style: -
Voltage: 100-250V	Working Temperature: -10°C~55°C	Power Supply: AC 100-250V
Wattage: 2-200W	Working Lifetime (Hour) : 200000 times	Wearing Method: -
Item Weight: 0.35g	Packing Size: 105*105*6mm	Waterproof Level: -

[Back to Table of Contents →](#)

Smart Thermostat

[Register and inquire to learn more →](#)



Voice control, Multistage



Certificate: FCC

Product Dimensions: 135*92*27.5mm

Packing List: User manual/ Screws

Sales Area: Southeast Asia

Material: Plastic

Style: Square

Voltage: 18~30VAC

Working Temperature: 0~50°C

Power Supply: Connecting Wires

Wattage: 24V/0.5A

Working Lifetime (Hour) : 1W

Wearing Method: Wall Mounting

Item Weight: 0.3kg

Packing Size: 140*100*55mm

Waterproof Level: IP21

[Back to Table of Contents →](#)


WS2IRC-TY Wi-Fi IR Blaster

[Register and inquire to learn more →](#)

- 

IF Design Award
- 

Double local area network and internet communication protection
- 

One key configuration within Wi-Fi coverage area
- 

Smart choosing model, one key match, support 90% infrared devices



Certificate: CE/ FCC	Item Weight: 0.15kg	Working Lifetime (Hour) : 3 Years
Sales Area: Global	Product Dimensions: 80*80*28MM	Packing list: 86*86*54mm
Protocal: Wi-Fi	Material: PC/ABCA	Power supply: USB
Voltage: DC5V (USB powered)	Working Temperature: -10℃ ~ +50℃	Whether to include adapter: No
Wattage: <2w		


IPC





[Back to Table of Contents →](#)


Indoor Wi-Fi IP Camera

[Register and inquire to learn more →](#)


- 

FHD 1080P IP Camera
- 

Support micro SD card (max 128 GB) storage
- 

Support Motion
- 

Support Android /iOS-time monitoring system mobile devices
- 

Support two detection-way audio
- 

Speical Apperance design




Certificate: CE/ FCC	Field of View: 105°	Audio Communication: Two-way
Sales Area: Not allowed to sell in US	Power Supply: DC5V/ 1A	Storage Type: Miscro SD Card/Cloud
Resolution: 1080P	Power Consumption: 2.5W MAX	Storage: Up to 128G
Image Conpression: H.264	Night Vision: Support	Indoor or Outdoor Use: Indoor
Image Frame Rate: 1~25 fps	IR Distance: 10m	Waterproof: -
Image Sensor: 1/2.9 inch 2Megapixel CMOS	Motion Dection: Support	Work Temperature: - 20°C~50°C


[Back to Table of Contents →](#)

Speed 6S (V300_8M) IP Camera


[Register and inquire to learn more →](#)




FHD 1080P Support Motion IP
Camera detection



Support micro SD card (max 128 GB)
storage



Support two-way audio



Support Androidremote real /iOS-time
monitoring system mobile devices



Certificate: CE/ FCC

Field of View: 105°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC5V/ 1A

Storage Type: Miscro SD Card/Cloud

Resolution: 1080P

Power Consumption: 2.5W MAX

Storage: Up to 128G

Image Conpression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 1~25 fps

IR Distance: 10m

Waterproof: -

Image Sensor: 1/2.9 inch 2Megapixel CMOS


Motion Dection: Support


Work Temperature: - 20°C~50°C

[Back to Table of Contents →](#)


Indoor Wi-Fi IP PTZ Camera

[Register and inquire to learn more →](#)

- 

FHD 1080P IP camera
- 

Support micro SD card
- 

Intelligent motion detection
- 

Support Android/iOS remote real Pan/Tilt Auto Tracking
- 

Support two-way audio




Certificate: CE/ FCC	Field of View: 100°	Audio Communication: Two-way
Sales Area: Global	Power Supply: DC5V/ 1A	Storage Type: Miscro SD Card/Cloud
Resolution: 1080P	Power Consumption: 4.5W MAX	Storage: Up to 128G
Image Conpression: H.264	Night Vision: Support	Indoor or Outdoor Use: Indoor
Image Frame Rate: 1~25 fps	IR Distance: 10m	Waterproof: -
Image Sensor: 1/2.9 inch 2Megapixel CMOS	Motion Dection: Support	Work Temperature: - 20°C~50°C


[Back to Table of Contents →](#)

Floodlight Camera

[Register and inquire to learn more →](#)



Support full duplex



Support micro SD card (max 128 GB) storage



Lighting Trigger by PIR or Manually Control



Siren alarm



Certificate: CE/ FCC/ UL

Field of View: 135°

Audio Communication: Two-way

Sales Area: Global

Power Supply: 100~240V AC

Storage Type: Miscro SD Card/Cloud

Resolution: 1080P

Power Consumption: 32W

Storage: Up to 128G

Image Conpression: H.264

Night Vision: Support

Indoor or Outdoor Use: Outdoor

Image Frame Rate: 1~25 fps

IR Distance: 10m

Waterproof: IP65

Image Sensor: 1/2.9 inch 2Megapixel CMOS


Motion Dection: Support

Work Temperature: - 20°C~50°C


[Back to Table of Contents →](#)


Smart Indoor P/T Camera

[Register and inquire to learn more →](#)

- 

Support Auto Tracking
- 

Support Face Recognition
- 

Support Pan 355° ,Tilt 80°
- 

Two-way audio




Certificate: CE/ FCC/ RoHS	Field of View: 110°	Audio Communication: Two-way
Sales Area: Global	Power Supply: DC5V/1.5A	Storage Type: Miscro SD Card/Cloud
Resolution: 1080P	Power Consumption: 6W	Storage: Up to 128G
Image Conpression: H.264	Night Vision: Support	Indoor or Outdoor Use: Indoor
Image Frame Rate: 25fps(1080p)	IR Distance: 10m	Waterproof: IP20
Image Sensor: 1/3 CMOS	Motion Dection: Support	Work Temperature: - 20°C~55°C

[Back to Table of Contents →](#)


Smart Outdoor Bullet Camera

[Register and inquire to learn more →](#)

- 

Support IR Night Vision
- 

Support Face Recognition
- 

Support Weather Proof
- 

Two-way audio




Certificate: CE/ FCC/ RoHS	Field of View: 110°	Audio Communication: Two-way
Sales Area: Global	Power Supply: DC12V/1A	Storage Type: Miscro SD Card/Cloud
Resolution: 1080P	Power Consumption: 12W	Storage: Up to 128G
Image Conpression: H.264	Night Vision: Support	Indoor or Outdoor Use: Outdoor
Image Frame Rate: 25fps(1080p)	IR Distance: 10m	Waterproof: IP65
Image Sensor: 1/3 CMOS	Motion Dection: Support	Work Temperature: - 20°C~55°C


[Back to Table of Contents →](#)

Smart Wireless NVR Kit

[Register and inquire to learn more →](#)

- 

4ch synchronous preview recording and playback
- 

1ch HDMI /1ch VGA output connected to display
- 

Local storage hard disk up to 8TB
- 

Smart human motion detecting




Certificate: CE/ FCC/ RoHS	Field of View: 100°	Audio Communication: Two-way
Sales Area: Global	Power Supply: DC 12V/2A and DC 12V/1A	Storage Type: Hard disk/Cloud
Resolution: 1080P	Power Consumption: -	Storage: up to 8TB
Image Compression: H.264/H.265	Night Vision: Support	Indoor or Outdoor Use: Indoor and Outdoor
Image Frame Rate: 15fps(1080p)	IR Distance: 15m	Waterproof: IP65
Image Sensor: 1/3.0 Color CMOS	Motion Dection: Support	Work Temperature: - 20°C~55°C


[Back to Table of Contents →](#)


Smart Wireless 1080P P&T Camera

[Register and inquire to learn more →](#)

- 

1080P Full HD video quality
- 

Smart human motion auto tracking
- 

100° Wide viewing angle
- 

Support one key privacy mode ,physical lens shielding
- 

Built in 2.4G Wi-Fi antenna



Certificate: CE/ FCC/ RoHS	Field of View: 100	Audio Communication: Two-way
Sales Area: Global	Power Supply: DC 5V/1A	Storage Type: Miscro SD Card/Cloud
Resolution: 1080P	Power Consumption: -	Storage: Up to 128G
Image Conpression: H.264	Night Vision: Support	Indoor or Outdoor Use: Indoor
Image Frame Rate: 15fps(1080p)	IR Distance: 10m	Waterproof: -
Image Sensor: 1/2.9 Color CMOS	Motion Dection: Support	Work Temperature: - 20°C~55°C

[Back to Table of Contents →](#)

4CH 1080P Wireless Kit

[Register and inquire to learn more →](#)



1080P H.265+,
Plug&Play,2.0MP(1920*1080)



Wi-Fi Connection, Smartphone
Access



13.6 mm, Lens,4pcs Array LED,
IR distance 20M



1x 4Channel NVR with 4x 2MP
Bullet Cameras



Outdoor Waterproof



Certificate: CE/ FCC

Field of View: 130°

Audio Communication: Support

Sales Area: Global

Power Supply: 4pcs DC 12V/1A, 1pcs DC 12V/2A

Storage Type: hard drive/Cloud

Resolution: 1080P

Power Consumption: -

Storage: up to 4TB

Image Compression: H.265+

Night Vision: Support

Indoor or Outdoor Use: Indoor and Outdoor

Image Frame Rate: 15fps(1080p)

IR Distance: 20m

Waterproof: IP65

Image Sensor: 1/2.9 Color CMOS

Motion Detection: Support

Work Temperature: - 20°C~55°C

[Back to Table of Contents →](#)

8CH 1080P Wireless Kit


[Register and inquire to learn more →](#)



1080P H.265+,
Plug&Play,2.0MP(1920*1080)



Wi-Fi Connection, Smartphone
Access



3.6 mm, Lens,4pcs Array LED, IR
distance 20M



1x 4Channel NVR with 4x 2MP
Bullet Cameras



Outdoor Waterproof



Certificate: CE/ FCC

Field of View: 130°

Audio Communication: Support

Sales Area: Global

Power Supply: 8pcs DC 12V/1A, 1pcs DC 12V/2A

Storage Type: Hard drive/Cloud

Resolution: 1080P

Power Consumption: -

Storage: Up to 4TB

Image Compression: H.265+

Night Vision: Support

Indoor or Outdoor Use: Indoor and Outdoor

Image Frame Rate: 15fps(1080p)

IR Distance: 20m

Waterproof: IP65

Image Sensor: 1/2.9 Color CMOS

Motion Dection: Support

Work Temperature: - 20°C~55°C

[Back to Table of Contents →](#)

Z5-Outdoor IPC

[Register and inquire to learn more →](#)




Quick and simple setup*1080)



Both support local storage and cloud storage



Auto-connection to Wi-Fi after power recovery



Remote monitor



Certificate: CE/ FCC/ RoHS

Field of View: 75°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1A

Storage Type: Miscro SD Card/Cloud

Resolution: 1080P

Power Consumption: -

Storage: Up to 128G

Image Conpression: H.264

Night Vision: Support

Indoor or Outdoor Use: Outdoor

Image Frame Rate: 15fps(1080p)

IR Distance: 10m

Waterproof: IP66

Image Sensor: 1/3 Color CMOS

Motion Dection: Support

Work Temperature: - 20°C~55°C

[Back to Table of Contents →](#)

Indoor Fixed IPC Mini Wi-Fi Smart Camera

[Register and inquire to learn more →](#)

- 

Quick and simple setup*1080)
- 

Both support local storage and cloud storage
- 

Auto-connection to Wi-Fi after power recovery
- 

Remote monitor




Certificate: CE/ FCC/ RoHS	Field of View: 75°	Audio Communication: Two-way
Sales Area: Global	Power Supply: DC 5V/1A	Storage Type: Miscro SD Card/Cloud
Resolution: 1080P	Power Consumption: -	Storage: Up to 128G
Image Conpression: H.264	Night Vision: Support	Indoor or Outdoor Use: Indoor
Image Frame Rate: 15fps(1080p)	IR Distance: 10m	Waterproof: -
Image Sensor: 1/3 Color CMOS	Motion Dection: Support	Work Temperature: - 20°C~55°C

[Back to Table of Contents →](#)

Indoor Wi-Fi IP Cube Camera

[Register and inquire to learn more →](#)

- 

IR double filter switch, night vision
- 

2 way voice intercom, alarm push
- 

Support dual streams output ,real-time video recording



Certificate: CE/ FCC	Field of View: 105°	Audio Communication: Two-way
Sales Area: Global	Power Supply: DC 5V/1A	Storage Type: Miscro SD Card/Cloud
Resolution: 1080P	Power Consumption: 4.5W	Storage: up to 128G
Image Conpression: H.264	Night Vision: Support	Indoor or Outdoor Use: Indoor
Image Frame Rate: 1920（H）* 1080（V）	IR Distance: 10m	Waterproof: -
Image Sensor: 1 / 3.2英寸2Megapixel CMOS	Motion Dection: Support	Work Temperature: -20-50°

[Back to Table of Contents →](#)

Wireless Video Doorbell


[Register and inquire to learn more →](#)




Customized wake-up mechanism,
long standby with one charge



Free choice of day and night mode



Intercom voice change,
automatic reply, quick reply,
more humane



APP controls the situation outside the
house at any time



Certificate: -

Field of View: Horizontal 123° , vertical 67° , diagonal 151°

Audio Communication: Two-way

Sales Area: Global

Power Supply: 2pcs 18650 battery/DC 5V/2A

Storage Type: Miscro SD Card/Cloud

Resolution: 1080P

Power Consumption: Less than 500 ua

Storage: up to 128G

Image Conpression: H.265/H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor and Outdoor

Image Frame Rate: 20fps (1080P)

IR Distance: 7m

Waterproof: IP65

Image Sensor: 1/2.7 High performance CMOS


Motion Dection: Support

Work Temperature: -10°C ~ + 55°C

[Back to Table of Contents →](#)

Indoor Wi-Fi IP PTZ Camera

[Register and inquire to learn more →](#)

- 

IR double filter switch, night vision
- 

2 way voice intercom, alarm push, PTZ control
- 

Support dual streams output ,real-time video recording



Certificate: CE/ FCC	Field of View: 105°	Audio Communication: Two-way
Sales Area: Global	Power Supply: DC 5V / 1A	Storage Type: Miscro SD Card/Cloud
Resolution: 1080P	Power Consumption: 4.5W	Storage: up to 128G
Image Conpression: H.264	Night Vision: Support	Indoor or Outdoor Use: Indoor
Image Frame Rate: 1920 (H) * 1080 (V)	IR Distance: 10m	Waterproof: -
Image Sensor: 1 / 3.2英寸2Megapixel CMOS	Motion Dection: Support	Work Temperature: - 20℃~50℃

[Back to Table of Contents →](#)

Wi-Fi Battery Camera for Outdoor

[Register and inquire to learn more →](#)



Powered By 4pcs AA Battery



100% Wire-free, easy to install



Two-Way Audio Talking With
Noise Cancellation



PIR motion detection

Certificate: CE/ FCC/ RoHS	Field of View: 120°	Audio Communication: Two-way
Sales Area: Global	Power Supply: 4pcs AA battery/USB DC5V	Storage Type: Class 10 TF cards /Cloud storage
Resolution: 1080P	Power Consumption: Standby 0.05W/ Wake up 0.9W / Open IR LED 1.3W	Storage: up to 128G
Image Compression: H.264	Night Vision: Support	Indoor or Outdoor Use: Outdoor
Image Frame Rate: 15fps(1080p)	IR Distance: 8m	Waterproof: IP64
Image Sensor: 2MP 1/2.7”CMOS	Motion Dection: Support	Work Temperature: - 10℃~55℃

[Back to Table of Contents →](#)

NGTeco 1080P IP Camera Smart Wi-Fi Camera Baby Monitor

[Register and inquire to learn more →](#)




1080p Full-HD



Motion Alerts



Motion Tracking



Two-Way Audio



Certificate: FCC/ CE/ RoHS

Field of View: 100°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V 1.5A

Storage Type: Local & Cloud Storage

Resolution: 1080P

Power Consumption: 5W

Storage: Supports 128GB TF card

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 30fps

IR Distance: 10m

Waterproof: NONE

Image Sensor: 1/2.9" 2MP CMOS

Motion Detection: Support

Work Temperature: 0°C to 55°C

[Back to Table of Contents →](#)

Smart Indoor Camera

[Register and inquire to learn more →](#)



Picture Capture



Intelligent mobile tracking recognition



Built-in MIC& Speaker, Two-way
Speech



Motion Detection



Certificate: CE/ FCC/ RoHS

Field of View: 120°

Audio Communication: two way talk

Sales Area: Southeast Asia

Power Supply: DC 5V 1.5A

Storage Type: SD card, Cloud

Resolution: 1080P

Power Consumption: 5W

Storage: SD card(max 64G)

Image Compression: Smart H.264+

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 1080P

IR Distance: 5-8m

Waterproof: IP54

Image Sensor: GC1034/GC2053

Motion Dection: Support

Work Temperature: -10°C~+55°C

Small Home Appliances




[Back to Table of Contents →](#)

Smart IR Remote

[Register and inquire to learn more →](#)




APP and voice control




360 degree IR Control Range




Wi-Fi/4g App Remote Control
from Anywhere



Slim design



Intelligent DIY learning function



Certificate: FCC, CE, RoHS

Wattage: 0.5W

Material: PC+ABS

Sales Area: Global

Item Weight: 60g

Working Temperature: 0-50° C(32-122° F)

Voltage: DC 5V/1A


Product Dimensions: 67*67*20mm

Working Lifetime(Hour): -

[Back to Table of Contents →](#)

Robot Cleaner


[Register and inquire to learn more →](#)



Gyroscope navigation



App with map



Wet Mopping



Charge Station



Remote control



Certificate: CB, CE

Wattage: 20W

Material: ABS+PC

Sales Area: Global

Item Weight: 2KG

Working Temperature: 0~40 Degree

Voltage: 11.1V


Product Dimensions: 300*300*75mm

Working Lifetime(Hour): >1Hour


[Back to Table of Contents →](#)

Robot Cleaner

[Register and inquire to learn more →](#)



Gyroscope navigation



Wet Mopping




Remote control



App with map



Charge Station



Main Brush



Certificate: CE

Wattage: 24W

Material: ABS+PC

Sales Area: Global

Item Weight: 2.2KG

Working Temperature: 0~40 Degree

Voltage: 14.8V


Product Dimensions: 300*300*75mm

Working Lifetime(Hour): >1.5Hour


[Back to Table of Contents →](#)

Robot Cleaner

[Register and inquire to learn more →](#)



Gyroscope navigation



Wet Mopping




Remote control



App with map



Charge Station



Dual Brush



Certificate: CB, CE

Wattage: 24W

Material: ABS+PC

Sales Area: Global

Item Weight: 2.9KG

Working Temperature: 0~40 Degree

Voltage: 14.8V


Product Dimensions: 320*320*88mm

Working Lifetime(Hour): >2Hour

[Back to Table of Contents →](#)

Robot Cleaner

[Register and inquire to learn more →](#)



Window Auto clean



Certificate: -

Wattage: 80W

Material: ABS+PC

Sales Area: Global

Item Weight: 0.93KG

Working Temperature: 0~40 Degree

Voltage: 24V


Product Dimensions: 288*139*112mm

Working Lifetime(Hour): Working with Adaptor


[Back to Table of Contents →](#)

Robot Vacuum Cleaner

[Register and inquire to learn more →](#)



2000PA powerful vacuum cleaner



Multiple cleaning modes and cleaning



Long working hours



Certificate: CE, ROHS, FCC

Wattage: 15W

Material: ABS

Sales Area: Europe and America, Japan and South Korea, Southeast Asia

Item Weight: 2KG

Working Temperature: -

Voltage: 12V


Product Dimensions: 320*320*78mm

Working Lifetime(Hour): 500-600h

[Back to Table of Contents →](#)

Robot Vacuum Cleaner


[Register and inquire to learn more →](#)



Gyroscope Memory Navigation



Real-time Location Draw Map



Drop prevention system



Infrared anti-collision system



Certificate: CE, ROHS, FCC

Wattage: 15W

Material: ABS

Sales Area: Europe and America, Japan and South Korea, Southeast Asia

Item Weight: 2KG

Working Temperature: -

Voltage: 12V


Product Dimensions: 320*320*78mm

Working Lifetime(Hour): 500-600h


[Back to Table of Contents →](#)

Robot Vacuum Cleaner


[Register and inquire to learn more →](#)



Gyroscope Memory Navigation




Intelligent Path Planning



Drop prevention system



Infrared anti-collision system



IML brushed panel



Certificate: CE, ROHS, FCC

Wattage: 15W

Material: ABS

Sales Area: Europe and America, Japan and South Korea, Southeast Asia

Item Weight: 4KG

Working Temperature: -

Voltage: 14.8V


Product Dimensions: 320*320*78mm

Working Lifetime(Hour): 500-600h


[Back to Table of Contents →](#)

Vacuum Cleaner Robot Wi-Fi Tuya App Support OEM&ODM


[Register and inquire to learn more →](#)



New design, best sales, cost-effective



More functional/intelligent requirements can be customized



Huge suction, no worry about human&pet hair



Certificate: CE/CB/UL/ROHS/PAHS/PSE/WWA

Wattage: 11.2W

Material: -

Sales Area: Global

Item Weight: N.W: 1.74KG, G.W: 2.2KG

Working Temperature: -10°C-45°C

Voltage: AC100-240V


Product Dimensions: 310*310*81mm


Working Lifetime(Hour): 2Y


[Back to Table of Contents →](#)

Vacuum Cleaner Robot with Center Brush Wi-Fi+APP Control Work with Alexa Google Support OEM&ODM

[Register and inquire to learn more →](#)

- 

New design, best sales, with more function and smarter cost-effective
- 

Especially good for on-line sale and gift order
- 

Add center brush, good for better clean, especially for gap



Certificate: CE/CB/UL/ROHS/PAHS/PSE/WWA

Wattage: 11.2W

Material: -

Sales Area: Global

Item Weight: N.W: 3.1KG, G.W: 2.8KG

Working Temperature: -10°C-46°C

Voltage: AC100-240V

Product Dimensions: 310*310*81mm

Working Lifetime(Hour): 2Y


Big Home Appliances



[Back to Table of Contents →](#)

QC

[Register and inquire to learn more →](#)



Cold Plasma



Self-Cleaning



Anti-virus Filter



USB Wi-Fi control



Sales Area: Latin America

Wattage: 9K/12K/18K/24K

water/cooling/gas: Gas

Technical Details: ON/OFF、Inverter

Material: Copper/HIPS

Split/portable/cabinet/window: Split

Voltage: 220-240V/50Hz

Working Temperature: -15°C-52°C


Smart Locks



[Back to Table of Contents →](#)

Bluetooth Smart Lock

[Register and inquire to learn more →](#)



No dismantle and fast set



High compatibility, fit for various types of doors



Smart phone as remote key



Long lasting



Certificate: CE,RoHS,MORLAB,EMC,MTi,FCC

Endurance: 300 days with 10 times unlock a day

Dimensions: A135mm*60mm*45mm/80mm*80mm*25mm

Sales Area: Global

Door Thickness: -

Work Temperature: -

Unlock Method: Code、 App

Adapter Lock Body: -

IP Grade: IP54

Battery: 4 AA batteries

Material: PC+Steel/Aluminum alloy+PC

[Back to Table of Contents →](#)

Bluetooth Smart Lock (Q106)

[Register and inquire to learn more →](#)

- 

Auto unlock and lock
- 

Smart phone to remote control
- 

Low battery alarm
- 

High compatibility, fit for various types of doors
- 

Long time for standby



Certificate: CE、RoHS、 FCC

Endurance: 10 months with 10 times unlock a day

Dimensions: Front lock: 65.4*163.4*31.5mm Back lock: 72.4*188.4*45.5mm

Sales Area: Global

Door Thickness: 35-55mm

Work Temperature: -40℃~+70℃

Unlock Method: Fingerprint、Passcode、APP、 Mechanical Key

Adapter Lock Body: 60-70mm deadbolt lock body

IP Grade: IP65

Battery: 4 AA batteries

Material: Aluminum Alloy,CNC oxidation+PMMA

[Back to Table of Contents →](#)

Bluetooth Smart Lock (S2)

[Register and inquire to learn more →](#)

- 

Fingerprint for unlock
- 

Smart phone to remote control
- 

Low battery alarm
- 

High compatibility, fit for various types of doors
- 

Long time for standby



Certificate: CE、RoHS、FCC

Endurance: 10 months with 10 times unlock a day

Dimensions: 330*68*25mm

Sales Area: Global

Door Thickness: 35-55mm

Work Temperature: -30℃~+55℃

Unlock Method: Fingerprint、Passcode、APP、Mechanical Key

Adapter Lock Body: 85 series mortise lock body,such as 4585、6085

IP Grade: -

Battery: 4 AA batteries

Material: Zinc Alloy

[Back to Table of Contents →](#)

Wi-Fi Smart Lock (E202)

[Register and inquire to learn more →](#)



Fingerprint for unlock



Smart phone to remote control



Low battery alarm



High compatibility, fit for various types of doors



Long time for standby



Certificate: CE、RoHS、FCC、REACH

Endurance: 12 months with 10 times unlock a day

Dimensions: 270*63*24mm

Sales Area: Global

Door Thickness: 40-100mm

Work Temperature: -30℃~+55℃

Unlock Method: Fingerprint、RFID card、Passcode、APP、Mechanical Key

Adapter Lock Body: 5052 lock body

IP Grade: IP44 (It can be customize for IP55)

Battery: 4 AA batteries

Material: Aluminum Alloy+Paint+IML Cover

[Back to Table of Contents →](#)

Smart Lock Box K120

[Register and inquire to learn more →](#)



In the internal integration of a variety of high-precision precision components, adhering to the "hidden high tech" brand concept, a minimalist design



High compatibility, fit for various scenarios



Support APP management for fingerprint, door card and other functions



Certificate: CE,RoHS,FCC

Endurance: Up to 1 year(unlock 10 times a day)

Dimensions: 123mm*73mm*35mm

Sales Area: Global

Door Thickness: -

Work Temperature: -

Unlock Method: Password、 App

Adapter Lock Body: -

IP Grade: -

Battery: 3 AAA batteries

Material: Die Casting Aluminum Alloy

[Back to Table of Contents →](#)

Smart Lock Box K141

[Register and inquire to learn more →](#)

- 

In the internal integration of a variety of high-precision precision components, adhering to the "hidden high tech" brand concept, a minimalist design
- 

High compatibility, fit for various scenarios
- 

Support APP management for fingerprint, door card and other functions



Certificate: CE,RoHS,FCC

Endurance: Up to 1 year(unlock 10 times a day)

Dimensions: 123mm*73mm*35mm

Sales Area: Global

Door Thickness: -

Work Temperature: -

Unlock Method: Password、 App、 Fingerprint

Adapter Lock Body: -

IP Grade: -

Battery: 3 AAA batteries

Material: Die Casting Aluminum Alloy

[Back to Table of Contents →](#)

LEIU Fingerprint Smart Lock for Home

[Register and inquire to learn more →](#)

- 

Passage mode: When door need to be open frequently
- 

Secure Lock Mode for privacy
- 

Member Management System
- 

Access Records Query
- 

Low battery consumption



Certificate: CE

Endurance: 300 days with 10 times unlock a day

Dimensions: -

Sales Area: Global

Door Thickness: 35mm-65mm

Work Temperature: -

Unlock Method: Fingerprint, Passcode, IC Cards, App, Keys

Adapter Lock Body: -

IP Grade: -

Battery: 4 AA batteries

Material: Aluminum alloy

[Back to Table of Contents →](#)

LEIU Smart Door Lock with Apartment Management System

[Register and inquire to learn more →](#)

- 

Passage mode: When door need to be open frequently
- 

Secure Lock Mode for privacy
- 

Member Management System
- 

Access Records Query
- 

Low battery consumption



Certificate: CE

Endurance: 300 days with 10 times unlock a day

Dimensions: -

Sales Area: Global

Door Thickness: 35mm-65mm

Work Temperature: -

Unlock Method: Passcode, IC Cards, App, Keys

Adapter Lock Body: -

IP Grade: -

Battery: 4 AA batteries

Material: Aluminum alloy

[Back to Table of Contents →](#)

LEIU Smart Lock for Home and Office

[Register and inquire to learn more →](#)

- 

Passage mode: When door need to be open frequently
- 

Secure Lock Mode for privacy
- 

Member Management System
- 

Access Records Query
- 

Low battery consumption



Certificate: CE

Endurance: 300 days with 10 times unlock a day

Dimensions: -

Sales Area: Global

Door Thickness: 35mm-65mm

Work Temperature: -

Unlock Method: Fingerprint, App, Keys

Adapter Lock Body: -

IP Grade: -


Battery: 4 AA batteries

Material: Aluminum alloy

[Back to Table of Contents →](#)

Bluetooth Fingerprint Lock (P22)

[Register and inquire to learn more →](#)



Material: Zinc alloy



Fingerprint recognize, bluetooth and Tuya app



support up to 10 fingerpeints recording



Applicable to: bag, luggage, warehouse, door, cabinet, cargo, etc



Certificate: CE,RoHS,FCC

Endurance: 90 days with 10 times unlock a day

Dimensions: 90.6*53.7*25mm

Sales Area: Global

Door Thickness: -

Work Temperature: -

Unlock Method: Fingerprints、 app

Adapter Lock Body: -

IP Grade: -


Battery: built-in 180mAh lithium battery

Material: Zinc alloy

[Back to Table of Contents →](#)

Bluetooth Fingerprint Lock (P30+)

[Register and inquire to learn more →](#)



Material: Zinc alloy



Fingerprint recognize, bluetooth and Tuya app



support up to 10 fingerprints recording



Applicable to: bag, luggage, warehouse, door, cabinet, cargo, etc



Certificate: CE,RoHS,FCC

Endurance: 90 days with 10 times unlock a day

Dimensions: 75*48*15mm

Sales Area: Global

Door Thickness: -

Work Temperature: -

Unlock Method: Fingerprints、 app

Adapter Lock Body: -

IP Grade: -

Battery: built-in 180mAh lithium battery

Material: Zinc alloy


[Back to Table of Contents →](#)

Wi-Fi Smart Lock

[Register and inquire to learn more →](#)



Wi-Fi Connection, no need gateway



Support temporary code, good for hotel&airbnb usages



Emergency Key & Power Charging



Smart phone as remote key



Long lasting



Certificate: CE

Endurance: 8 months with 10 times unlock a day

Dimensions: 140*58*17mm/140*69*31mm

Sales Area: Global

Door Thickness: 32mm~48mm

Work Temperature: -10~55℃

Unlock Method: Fingerprint、Code、key、IC Card、App

Adapter Lock Body: single latch

IP Grade: -

Battery: 4 AA batteries

Material: zinc alloy+PC


[Back to Table of Contents →](#)

Smart Door Lock-Wi-Fi

[Register and inquire to learn more →](#)



Unlock: Fingerprint



card, password



Tuya App



Certificate: CE, FCC, RoHS

Endurance: 12 months

Dimensions: 17.5*33*12cm

Sales Area: Southeast Asia

Door Thickness: 38-50mm

Work Temperature: -10°C~60°C

Unlock Method: Administrator number: 9 Fingerprint number :110 Thickness : 24*6*2cm Control: Wi-fi protocol IEEE 802.13 b/g/n

Adapter Lock Body: 5050#/3585#/4585#/5072#/5572# 60#/70#

IP Grade: IP66

Battery: 4 AAA batteries

Material: Aluminum Alloy, Tempered glass

Sensors



[Back to Table of Contents →](#)

HS1SA-TY Smoke Detector

[Register and inquire to learn more →](#)

- 

Low power consumption Zigbee technology
- 

Sound alarm up to 85dB/3m
- 

MINI appearance design, smart and fashionable, Reddot Design award
- 

Tool-free installation design, that is affixed



Certificate: CE/ FCC/ EN14604	Item Weight: 0.09kg	Working Lifetime (Hour) : 10 Years
Sales Area: Global	Product Dimensions: 60*60*49mm	Packing list: 68*68*60mm
Protocal: Zigbee	Material: -PC/ABCA	Power supply: Battery
Voltage: DC3V (2*AAA battery)	Working Temperature: -10℃ ~ +50℃	Whether to include adapter: No
Wattage: < 0.3W		


[Back to Table of Contents →](#)

HS1CG-TY Gas Detector

[Register and inquire to learn more →](#)



Low power consumption Zigbee technology



High stability semi-conductor sensor adopted



Adopt standard Zigbee protocol



Certificate: CE/ FCC

Item Weight: 0.11kg

Working Lifetime (Hour) : 5Years

Sales Area: Global

Product Dimensions: 79*68*31mm

Packing list: 85*73*62

Protocal: Zigbee

Material: PC/ABCA

Power supply: AC

Voltage: AC100V~240V

Working Temperature: -10℃ ~ +50℃

Whether to include adapter: No


Wattage: <2w

[Back to Table of Contents →](#)

HS1CA-TY CO Detector

[Register and inquire to learn more →](#)

- 

Low power consumption Zigbee technology
- 

Low power indication and report
- 

Super low power consumption circuit design, makes a longer 3.battery lifespan




Certificate: CE/ FCC	Item Weight: 0.09kg	Working Lifetime (Hour) : Sensor 10 Years, battery 3 years
Sales Area: Global	Product Dimensions: 54*54*45	Packing list: 68*68*60mm
Protocal: Zigbee	Material: PC/ABCA	Power supply: Battery
Voltage: DC3V CR123Alithium battery	Working Temperature: -10℃ ~ +50℃	Whether to include adapter: No
Wattage: <0.2w		

[Back to Table of Contents →](#)

HS2WD-TY Siren

[Register and inquire to learn more →](#)



Standards Zigbee protocol, good compatibility



High flexible rotating plug, suitable for different countries



Low power consumption design



Certificate: CE/ FCC

Item Weight: 0.15kg

Working Lifetime (Hour) : 5 Years

Sales Area: Global

Product Dimensions: φ80mmxH32mm

Packing list: 85*85*83mm

Protocal: Zigbee

Material: PC/ABCA

Power supply: AC

Voltage: AC100-240V

Working Temperature: -10℃ ~ +50℃

Whether to include adapter: No


Wattage: <2w

[Back to Table of Contents →](#)

WS2CG-TY Wi-Fi Gas Detector

[Register and inquire to learn more →](#)

- 

High stable semiconductor gas sensor
- 

Anti interference from smoke and oil stain
- 

Support driving manipulator



Certificate: CE/ FCC

Item Weight: 0.38kg

Working Lifetime (Hour) : 5Years

Sales Area: Global

Product Dimensions: 90*90*38 mm

Packing list: 94*94*86mm

Protocal: Wi-Fi

Material: PC/ABCA

Power supply: AC

Voltage: AC100V~240V

Working Temperature: -10℃ ~ +50℃

Whether to include adapter: No

Wattage: <2w

[Back to Table of Contents →](#)

Wi-Fi Alarm System

[Register and inquire to learn more →](#)

- 

Wi-Fi Siren alarm system (Tuya alarm)
- 

And it can be a on-site high-decibel alarm product, and it will sound and flashing light when alarm
- 

Add sensors&remote controls can be done by ""Smart Life"" APP, Operate easily! r



Certificate: CE/ ROSH

Item Weight: 0.45kg

Working Lifetime (Hour) : -

Sales Area: Europe/ Southeast Asia/ North America/ South America, etc.

Product Dimensions: 91*91*25MM

Packing list: 125*122*85mm

Protocal: Wi-Fi:IEEE 802.11b/g/n

Material: ABS

Power supply: 5V power adapter

Voltage: 5V

Working Temperature: -10℃~50℃

Whether to include adapter: YES

Wattage: -

[Back to Table of Contents →](#)

Wi-Fi Door / Windoor Sensor


[Register and inquire to learn more →](#)




Wi-Fi Door/ Windoor sensor



Battery life: 8~12 months



Two way function



Controls can be done by ""Smart Life""
APP, Operate easily!"



Certificate: CE/ ROSH	Item Weight: 0.04kg	Working Lifetime (Hour) : -
Sales Area: Europe/ Southeast Asia/ North America/ South America, etc.	Product Dimensions: 70*25*20MM	Packing list: 75*50*24MM
Protocal: Wi-Fi:IEEE 802.11b/g/n	Material: ABS	Power supply: DC3V LR03
Voltage: 3V	Working Temperature: -10℃~50℃	Whether to include adapter: NO
Wattage: -		


[Back to Table of Contents →](#)


ZigBee SOS Panic Button

[Register and inquire to learn more →](#)


- 

Real time alarm alert push notification to mobile phone
- 

Battery: CR2450
- 

Portable with sling
- 

Long last for 1 year



Certificate: CE

Item Weight: 0.06kg

Working Lifetime (Hour) :1Years

Sales Area: Global

Product Dimensions: 50*60*30mm

Packing list: 10x6.5x3CM

Protocal: Zigbee

Material: ABS+PC

Power supply: Battery: 3.6V 120mAh (Rechargeable battery)

Voltage: 5V

Working Temperature: -20°C ~ 55°C

Whether to include adapter: NO

Wattage: -

[Back to Table of Contents →](#)

HS5GW-TY Gateway

[Register and inquire to learn more →](#)



Supprot timer, scenario, linkage, functions



Support Wi-Fi firmare, coordinator firmware and Zigbee end device OTA function.



Support Ethernet



Certificate: CE

Item Weight: 0.1kg

Working Lifetime（Hour）：3 Years

Sales Area: Global

Product Dimensions: 91*91*31mm

Packing list: 95*95*62mm

Protocal: Zigbee/Wi-Fi

Material: PC/ABCA

Power supply: DC5V/1A

Voltage: Power: DC5V/1A

Working Temperature: 0℃ ～ +55℃

Whether to include adapter: Yes

Wattage: <3w


[Back to Table of Contents →](#)

HS1MS-TY Motion Sensor

[Register and inquire to learn more →](#)



Low power consumption Zigbee technology



Double temperature compensation technology



Super thin appearance design



The sensitivity of the detector



Certificate: CE/ FCC

Item Weight: 0.06kg

Working Lifetime (Hour) : 2 Years

Sales Area: Global

Product Dimensions: 65 * 65 * 28.5mm

Packing list: 67*34*67mm

Protocal: Zigbee

Material: PC/ABCA

Power supply: Battery

Voltage: DC3V (1*CR123A battery)

Working Temperature: -10°C ~ +50°C

Whether to include adapter: No


Wattage: <0.2w

[Back to Table of Contents →](#)


HS1DS-TY Door / Window Sensor

[Register and inquire to learn more →](#)

- 

Fashion and concise appearance design
- 

Double reed switch design, suitable for various doors and windows
- 

Low power consumption Zigbee technology
- 

Real time recognize door open or closed



Certificate: CE/ FCC

Item Weight: 0.07kg

Working Lifetime (Hour) : 2 Years

Sales Area: Global

Product Dimensions: 60*30*12.5mm/ 60*13*12.5mm

Packing list: 61*22*85mm

Protocal: Zigbee

Material: PC/ABCA

Power supply: Battery

Voltage: DC3V (2*AAA battery)

Working Temperature: -10℃ ~ +50℃


Whether to include adapter: No

Wattage: <0.2w


[Back to Table of Contents →](#)

HS1WL-TY Water Leak Detector

[Register and inquire to learn more →](#)



Separate design of the detector and sensor, efficiently prevent the influence resulted from high humidity



Tool-free installation design, that is affixed that is used



Low power indication and report



Certificate: CE/ FCC

Item Weight: 0.07kg

Working Lifetime (Hour) : 2 Years

Sales Area: Global

Product Dimensions: 60*30*12.5mm
28.3*26.5*12.2mm

Packing list: 61*22*85mm

Protocal: Zigbee

Material: PC/ABCA

Power supply: Battery

Voltage: DC3V (2*AAA battery)

Working Temperature: -10℃ ~ +50℃

Whether to include adapter: No

Wattage: <0.2w

[Back to Table of Contents →](#)

HS1RC-TY Remote Control

[Register and inquire to learn more →](#)



Low power consumption Zigbee technology



Low power indication and report



Uper low power consumption circuit design, makes a longer battery lifespan



Certificate: CE/ FCC

Item Weight: 0.03kg

Working Lifetime (Hour) : 2 Years

Sales Area: Global

Product Dimensions: 57.5 * 34.5* 13 mm

Packing list: 61*22*85mm

Protocal: Zigbee

Material: PC/ABCA

Power supply: Battery

Voltage: DC3V (1*CR2032 button cell)

Working Temperature: -10℃ ~ +50℃


Whether to include adapter: No

Wattage: <0.2w


[Back to Table of Contents →](#)

Scenario Button

[Register and inquire to learn more →](#)



With four cantilever balance structure, it has better pressing experience in each position



It can control multiple devices with one click to trigger smart scenes



Support multi-function: doorbell button, emergency button, electrical control, customize setting



Certificate: CE

Item Weight: 20g

Working Lifetime (Hour) : 87600 hours

Sales Area: Brazil

Product Dimensions: 44.5 mm*44.5 mm*13 mm

Packing size: 56*25*88mm

Protocal: Zigbee

Material: PC+ABS

Packing list: 200pcs for a carton box

Voltage: DC3V

Working Temperature: -10°C~+55°C

Power supply: Battery

Wattage: -

[Back to Table of Contents →](#)

Door & Window Sensor


[Register and inquire to learn more →](#)



With anti-tamper function, it will alarm when removed



It works with gateway, and supports linkage control and remote reminders



3M adhesive paste, easy to install



With low-power design, it will remind users when the battery is low voltage



Certificate: CE

Item Weight: 26g

Working Lifetime (Hour) : 87600 hours

Sales Area: Brazil

Product Dimensions: Main body dimension: 54 mm*22.2 mm*12.5 mm / Secondary body dimension: 33.3 mm*10.2 mm*12.5 mm

Packing size: 56*25*88mm

Protocol: Zigbee

Material: PC+ABS

Packing list: 200pcs for a carton box

Voltage: DC3V

Working Temperature: -10°C~+55°C

Power supply: Battery

Wattage: -

[Back to Table of Contents →](#)

Smoke Sensor


[Register and inquire to learn more →](#)



With a new generation of high-sensitivity labyrinth to further enhance all-round sensitivity



With anti-tamper function, it will alarm when removed



With pyramid embossment design, make 16 directions to maintain consistency and stability



With intelligent double-checking algorithm, it will alarm when detect smoke or the temperature exceeds 65°C



Certificate: CE/ &CCCF

Item Weight: 120g

Working Lifetime (Hour) : 87600 hours

Sales Area: Brazil

Product Dimensions: 66 mm*66 mm*29 mm

Packing size: 80*80*67mm

Protocal: Zigbee/Wi-Fi

Material: PC+ABS

Packing list: 80pcs for a carton box

Voltage: DC3V

Working Temperature: -10°C~+55°C


Power supply: Battery

Wattage: -

[Back to Table of Contents →](#)

PIR Motion Sensor

[Register and inquire to learn more →](#)



With third generation Fresnel lens, the zone density has increased by 3.4 times



With magnetic suction base, easy installation, 360° adjustment direction



With 4-element infrared sensor and intelligent temperature compensation algorithm



With ultra-low power consumption, it works with gateway and support linkage control and remote reminder



Certificate: CE

Item Weight: 70g

Working Lifetime (Hour) : 87600 hours

Sales Area: Brazil

Product Dimensions: Φ40 mm*48 mm

Packing size: 80*80*67mm

Protocal: Zigbee

Material: PC+ABS

Packing list: 80pcs for a carton box

Voltage: DC3V

Working Temperature: -10°C~+55°C

Power supply: Battery

Wattage: -

[Back to Table of Contents →](#)

Gas Sensor


[Register and inquire to learn more →](#)



With Wi-Fi protocol, it can be directly connected to the platform without gateway



It supports remote mute, local regular self-test and APP remote self-test to ensure the product is effective and reliable



With unique airflow window design to avoid smoke, water vapor and other direct damage to the gas sensor, to ensure stable work



With Wi-Fi protocol, it can be directly connected to the platform without gateway



Certificate: CE

Item Weight: 170g

Working Lifetime (Hour) : 26280 hours

Sales Area: Brazil

Product Dimensions: 66 mm*66 mm*29 mm

Packing size: 80*80*67mm

Protocal: Zigbee/Wi-Fi

Material: PC+ABS

Packing list: 80pcs for a carton box

Voltage: DC12V

Working Temperature: -10°C~+55°C


Power supply: With power adapter

Wattage: 3W

[Back to Table of Contents →](#)

Temperature & Humidity Sensor

[Register and inquire to learn more →](#)



With Swiss Sensirion latest IoT sensor to accurately monitor changes in temperature and humidity



With smile or cry expressions to clearly show the comfort level of the environment



With a wide perspective of LCD display for superior display performance



Certificate: CE

Item Weight: 70g

Working Lifetime (Hour) : 87600 hours

Sales Area: Brazil

Product Dimensions: 61.8 mm*60 mm*13.5 mm

Packing size: 80*80*67mm

Protocal: Zigbee

Material: PC+ABS

Packing list: 80pcs for a carton box

Voltage: DC3V

Working Temperature: -10°C~+55°C

Power supply: Battery

Wattage: -

[Back to Table of Contents →](#)

Water Sensor

[Register and inquire to learn more →](#)



Innovative double-sided design



It can be used in home, computer room, warehouse and other fields



With IP66 waterproof rating design, to ensure working stable in humid, dusty environment



Certificate: CE

Item Weight: 35g

Working Lifetime (Hour) : 87600 hours

Sales Area: Brazil

Product Dimensions: 45.5 mm*45.5 mm*14.2 mm

Packing size: 56*25*88mm

Protocal: Zigbee

Material: PC+ABS

Packing list: 200pcs for a carton box

Voltage: DC3V

Working Temperature: -10°C~+55°C

Power supply: Battery

Wattage: -


Hub & Panel



[Back to Table of Contents →](#)

Multi-Function Gateway

[Register and inquire to learn more →](#)




It works as a control center of sensors



With built-in professional security mode



Multifuction:It can work as door bell, nigh light, security alarm



With built-in log management system, which can locate problems remotely



Certificate: CE

Item Weight: 150g

Working Lifetime (Hour) : 87600 hours

Sales Area: Brazil

Product Dimensions: 70mm*70 mm*32 mm

Packing size: 80*80*67mm

Protocal: Zigbee Wi-Fi

Material: PC+ABS

Packing list: 80pcs for a carton box

Voltage: DC12V

Working Temperature: -10°C~+55°C

Power supply: With power adapter

Wattage: 10W



Connect directly with suppliers of 90,000+
Powered by Tuya smart product SKUs

vip@tuya.com
<http://expo.tuya.com>

